

O. E. Alloy Wheel Weight Applications Passenger Cars

Vehicle Model	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
ACURA											
All	AWN/FN	FN	FN	FN	FN	FN①	FN①	FN①	FN①	FN①	FN①
AMC/EAGLE											
Summit H/B & Sedan	MCN	MCN	MCN								
Summit Wagon	FN	FN									
Talon	MCN	MCN	MCN	MCN							
Vision	MCN	MCN	MCN								
AUDI											
All	IAW②	IAW②	EN③	EN③	EN③	EN③	EN③	EN③	EN③	EN③	EN③
BMW											
All	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW
BUICK											
Century	AWN	AWN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN
Electra, LeSabre, & Park Ave.	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN
LaCrosse											MCN
Regal	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN
Riviera	MCN	MCN	MCN	MCN	MCN						IAW
Roadmaster	MCN	MCN									
Skylark	AWN	AWN	AWN	AWN	AWN						
CADILLAC											
Brougham (Fleetwood RWD)	MCN	MCN									
Catera			IAW	IAW	IAW	IAW	IAW				
CTS, CTS-V									MCN	MCN①	MCN①
Deville	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN
Eldorado	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN			
Seville, STS	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN
XLR									QuikStik	QuikStik	QuikStik
CHEVROLET											
Aveo										MCN	MCN
Beretta, Corsica	AWN	AWN									
Camaro, IROC-Z, & Z28	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN
Caprice	MCN	MCN									
Cavalier (includes Z-24)	AWN	AWN	AWN	AWN	AWN	MCN	MCN	MCN	MCN	MCN	MCN
Cobalt											MCN
Corvette	AWN	AWN	AWN/QuikStik	AWN/QuikStik	AWN/QuikStik	AWN/QuikStik	AWN/QuikStik	AWN/QuikStik	AWN/QuikStik	AWN/QuikStik	AWN/QuikStik
Impala	MCN	MCN				MCN	MCN	MCN	MCN	MCN	MCN

Indicates vehicle was either not manufactured or not factory equipped with alloy wheel option that model year.

Use rim gauge RGP-1 to verify correct application. If unable to verify correct application, use QuikStik® adhesive style weights.

- ① Some wheels require QuikStik® weights. Adhesive weights are recommended where there is no flange or the flange is less than 3/16" deep.
- ② "AWN" 2-piece series can also be used.
- ③ Vehicles equipped with BBS wheel option use "EN" weights.

Vehicle Model	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
CHEVROLET (continued)											
Lumina APV / Venture APV	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN
Lumina Sedan	MCN	MCN	MCN	MCN	MCN	MCN	MCN				
Malibu, Malibu Maxx			MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN
Metro				FN	FN	FN	FN				
Monte Carlo	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN
Prizm				FN	FN	FN	FN	FN	FN		
SSR										MCN	MCN
Uplander											MCN
CHRYSLER											
300M, Concorde, & LHS	MCN	MCN	MCN	LH	LH	LH	LH	LH	LH	LH	MCN
Crossfire										QuikStik	QuikStik
Pacifica										LH	LH
Prowler							MCN/ QuikStik	MCN/ QuikStik			
PT Cruiser							LH ^⓪	LH ^⓪	LH ^⓪	LH ^⓪	LH ^⓪
Town & Country Van FWD & AWD	MCN	MCN	MCN	LH	LH	LH	LH	LH	LH	LH	LH
All Others	MCN	MCN	MCN	MCN	MCN	MCN	MCN	LH	LH	LH	MCN
DAEWOO											
All					FN	FN	FN	FN	FN	FN	FN
DODGE											
Caravan & Intrepid	MCN	MCN	MCN	LH	LH	LH	LH	LH	LH	LH	LH
Fury											LH
Magnum											MCN
Neon		MCN	MCN	MCN	MCN	LH	LH	LH	LH	LH	MCN
Viper	MCN/ QuikStik	MCN/ QuikStik	MCN/ QuikStik	MCN/ QuikStik	MCN/ QuikStik	MCN/ QuikStik	MCN/ QuikStik	MCN/ QuikStik	MCN/ QuikStik	MCN/ QuikStik	MCN/ QuikStik
All Others	MCN	MCN	MCN	MCN	MCN	MCN	MCN	LH	LH	LH	MCN
FORD											
All	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN ^⓪	MCN ^⓪	MCN ^⓪	MCN ^⓪
GEO											
Metro	IAW										
Prizm	FN	FN	FN								
HONDA											
All	FN ^⓪	FN ^⓪	FN ^⓪	FN ^⓪	FN ^⓪	FN ^⓪	FN ^⓪	FN ^⓪	FN ^⓪	FN ^⓪	FN ^⓪
HYUNDAI											
All (Except Tiburon)	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW
Tiburon			IAW	IAW	IAW	IAW	IAW	QuikStik	QuikStik	QuikStik	QuikStik
INFINITI											
All	AWN/FN	AWN/FN	FN	FN	FN	FN ^⓪	FN ^⓪	FN ^⓪	FN ^⓪	FN ^⓪	FN ^⓪
ISUZU											
All	AWN	AWN/FN	FN	FN	FN	FN	FN	FN	FN	FN	FN
JAGUAR											
All	IAW ^⓪	IAW ^⓪	IAW ^⓪	IAW ^⓪	IAW ^⓪	IAW ^⓪	IAW ^⓪	IAW ^⓪	IAW ^⓪	IAW ^⓪	IAW ^⓪

Indicates vehicle was either not manufactured or not factory equipped with alloy wheel option that model year.

Use rim gauge RGP-1 to verify correct application. If unable to verify correct application, use QuikStik[®] adhesive style weights.

- ⓪ Some wheels require QuikStik[®] weights. Adhesive weights are recommended where there is no flange or the flange is less than 3/16" deep.
- ⓪ Some models equipped with wheels that have no outside flange. Use adhesive weights inside the wheel and "MCN" weights on the inside flange.

Vehicle Model	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
KIA											
All	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW
LEXUS											
All	FN	FN	FN	FN	FN	FN①	FN①	FN①	FN①	FN①	FN①
LINCOLN											
All	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN①	MCN①	MCN①
MAZDA											
3										MCN	MCN
323	MCN										
6										MCN	MCN
626	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN		
929	FN	FN									
Miata - MX5	FN②	FN	FN	FN	FN	FN①	FN①	FN①	FN①	FN①	FN①
Millenia	FN	FN	FN	FN	FN	FN①	FN①	FN①	FN①	FN①	FN①
MPV - 2WD & 4WD (lace & spoke design)	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN
MX3	FN	FN									
MX6	MCN	MCN	MCN								
Protégé, Protégé 5	FN	FN	FN	FN	FN	FN	FN	FN	FN		
RX7, RX8	FN	FN								FN①	FN①
MERCEDES BENZ®											
All	EN	EN	EN	EN	EN	EN①	EN①	EN①	EN①	EN①	EN①
MERCURY											
All	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN
MITSUBISHI											
3000 GT	MCN	IAW	IAW	IAW	IAW						
Diamante	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW
Eclipse, Eclipse Spyder	MCN	MCN	MCN	MCN	IAW	IAW	IAW	IAW	IAW	IAW	IAW
Galant	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW
Lancer									IAW	IAW	IAW
Mirage	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW		
NISSAN											
All	FN	FN	FN	FN	FN	FN①	FN①	FN①	FN①	FN①	FN①
OLDSMOBILE											
Achieva	AWN	AWN	AWN	AWN							
Alero					MCN	MCN	MCN	MCN	MCN	MCN	
Aurora	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN		
Cutlass Ciera & Cruiser	AWN	AWN									
Cutlass (FWD), Cutlass Supreme (FWD)	MCN	MCN	MCN	MCN	MCN						
Delta 88 & Royale, LSS, 98 Regency	MCN	MCN	MCN	MCN	MCN						

Indicates vehicle was either not manufactured or not factory equipped with alloy wheel option that model year.

Use rim gauge RGP-1 to verify correct application. If unable to verify correct application, use QuikStik® adhesive style weights.

- ① Some wheels require QuikStik® weights. Adhesive weights are recommended where there is no flange or the flange is less than 3/16" deep.
- ② Vehicles equipped with BBS wheel option use "MCN" weights.
- ③ "MBN" 2-piece series can also be used.

Vehicle Model	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
OLDSMOBILE (continued)											
Intrigue				MCN	MCN	MCN	MCN	MCN			
Silhouette APV	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN
PLYMOUTH											
Neon		MCN	MCN	MCN	MCN	LH	LH				
Prowler			MCN/ QuikStik	MCN/ QuikStik	MCN/ QuikStik	MCN/ QuikStik	MCN/ QuikStik				
Voyager				LH	LH	LH	LH				
All Others	MCN	MCN	MCN	MCN	MCN	MCN					
PONTIAC											
Bonneville	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN
Firebird & Trans Am	AWN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN
Grand Am	AWN	AWN	AWN	AWN	AWN	MCN	MCN	MCN	MCN	MCN	MCN
Grand Prix	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	LH/ MCN	LH/ MCN
GTO										QuikStik	QuikStik
J2000, Sunbird/Sunfire	AWN	AWN	AWN	AWN	AWN	MCN	MCN	MCN	MCN	MCN	MCN
Montana / Trans Sport APV	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN
Vibe									FN	FN	FN
PORSCHE											
All	QuikStik	QuikStik	QuikStik	QuikStik	QuikStik	QuikStik	QuikStik	QuikStik	QuikStik	QuikStik	QuikStik
SAAB											
All	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW
SATURN											
All	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCNⓐ	MCNⓐ	MCNⓐ	MCNⓐ
SUBARU											
All except Legacy, Outback	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW
Legacy, Outback		MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN
SUZUKI											
Aerio									IAW	IAW	IAW
Esteem	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW		
Foreza										IAW	IAW
Swift	IAW	IAW	IAW	IAW	IAW	IAW	IAW				
Verona										IAW	IAW
TOYOTA											
All	FN	FN	FN	FN	FN	FNⓐ	FNⓐ/ⓑ	FNⓐ/ⓑ	FNⓐ/ⓑ	FNⓐ/ⓑ	FNⓐ/ⓑ
VOLKSWAGEN											
All	IAWⓐ	IAWⓐ	ENⓐ	ENⓐ	ENⓐ	ENⓐ	ENⓐ	ENⓐ	ENⓐ	ENⓐ	ENⓐ
VOLVO											
All	IAW	IAW	IAW	IAW	IAWⓐ	IAWⓐ	IAWⓐ	IAWⓐ	IAWⓐ	IAWⓐ	IAWⓐ

Indicates vehicle was either not manufactured or not factory equipped with alloy wheel option that model year.

Use rim gauge RGP-1 to verify correct application. If unable to verify correct application, use QuikStik® adhesive style weights.

- ⓐ Some wheels require QuikStik® weights. Adhesive weights are recommended where there is no flange or the flange is less than 3/16" deep.
- ⓑ "AWW" 2-piece series can also be used.
- ⓒ Vehicles equipped with BBS wheel option use "EN" weights.
- ⓓ Some vehicles are equipped with US-produced wheels. These wheels have different inboard/outboard configurations. Consult Bulletin APP200001 for more details or verify series with RGP-1.

O. E. Alloy Wheel Weight Applications Light Trucks

Vehicle Model	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
ACURA											
MDX							FN	FN	FN	FNⓐ	FNⓐ
SLX		MCN	MCN	MCN	MCN						
BUICK											
Rainier										MCN	MCN
Rendezvous								MCN	MCN	MCN	MCN
Terraza											MCN
BMW											
X-3											QuikStik
X-5							QuikStik	QuikStik	QuikStik	QuikStik	QuikStik
CADILLAC											
Escalade				MCN	MCNⓐ	TNⓐ	MCNⓐ	MCNⓐ	MCNⓐ	MCNⓐ	MCNⓐ
ESV										MCNⓐ	MCNⓐ
EXT								MCNⓐ	MCNⓐ	MCNⓐ	MCNⓐ
SRX										MCN	MCN
CHEVROLET											
Astro Mini Van 2WD & AWD	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN
Avalanche								TN	TN	TN	TN
Blazer & Tahoe K5 2WD & 4WD	MCN	MCN	MCN	MCN	MCN	MCNⓐ	TNⓐ	TNⓐ	TNⓐ	TNⓐ	TNⓐ
Blazer S10 & T10 2WD & 4WD	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN
C, K, R, & V Series - 2WD & 4WD Pickup & Suburban	MCN	MCN	MCN	MCN	TN	TN	TN	TN	TN	TN	TN
Colorado										MCN	MCN
Equinox											MCN
G10 Series Van	AWN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN
Lumina APV / Venture APV	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN
S & T Series Pickup 2WD & 4WD	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN
Silverado C & K Series - 2WD & 4WD Pickup	MCN	MCN	MCN	MCN	TN	TN	TN	TN	TN	TN	TN
SSR										MCN	MCN
Trailblazer								MCN	MCN	MCN	MCN
Tracker				MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN
Uplander											MCN
CHRYSLER											
Town & Country Van FWD & AWD	MCN	MCN	MCN	LH	LH	LH	LH	LH	LH	LH	LH
PT Cruiser								LHⓐ	LHⓐ	LHⓐ	LHⓐ
Voyager								LH	LH	LH	LH
DODGE											
B Series Van, Ram Van	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCNⓑ	MCNⓑ	MCNⓑ	MCNⓑ
Caravan & Mini Ram Van FWD & AWD	MCN	MCN	MCN	LH	LH	LH	LH	LH	LH	LH	LH

Indicates vehicle was either not manufactured or not factory equipped with alloy wheel option that model year.

Use rim gauge RGP-1 to verify correct application. If unable to verify correct application, use QuikStik® adhesive style weights.

- ⓐ Some wheels require QuikStik® weights. Adhesive weights are recommended where there is no flange or the flange is less than 3/16" deep.
- ⓑ Decorative chrome wheels require "TN" series.
- ⓒ Multiple wheel options are available. Some wheel options require "MCN" series while others require "TN" series. Verify application with rim gauge RGP-1.
- ⓓ Some models equipped with wheels that have no outside flange. Use adhesive weights inside the wheel and "MCN" series on the inside flange.

Vehicle Model	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
DODGE (continued)											
Dakota - 2WD & 4WD	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN
Durango - 2WD & 4WD				MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN
Pickup & Ram Pickup 1500, 2500, 3500 2WD & 4WD	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN
FORD											
Aerostar Van - 2WD & AWD	MCN	MCN	MCN								
Bronco	MCN	MCN									
E100 & E150 Van	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN
Escape							MCN	MCN	MCN	MCN	MCN
Excursion						MCN	MCN	MCN	MCN	MCN	MCN
Expedition			TN	TN	TN	TN	TN	TN	TN	MCN	MCN
Explorer - 2WD & 4WD	MCN	MCN ^⑦	MCN ^⑦	MCN ^⑦	MCN ^⑦	MCN ^⑦	MCN/ EN ^⑧	MCN/ EN ^⑧	MCN/ EN ^⑧	MCN/ EN ^⑧	MCN/ EN ^⑧
F100 & F150 - 2WD & 4WD	MCN	MCN	TN	TN	TN	TN	TN ^⑨	TN ^⑨	TN ^⑨	MCN	MCN
F250 & F350 - 2WD & 4WD			MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN
Five Hundred											MCN
Freestar										MCN	MCN
Ranger - 2WD & 4WD	MCN	MCN	MCN	MCN	MCN	MCN	MCN/ EN ^⑧	MCN/ EN ^⑧	MCN/ EN ^⑧	MCN/ EN ^⑧	MCN/ EN ^⑧
Windstar	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	
GEO											
Tracker - 2WD & 4WD	IAW	FN	FN								
GMC											
C, K, R & V Series - 2WD & 4WD Pickup & Suburban	MCN	MCN	MCN	MCN	TN	TN	TN	TN	TN	TN	TN
Canyon										MCN	MCN
Jimmy - S & T Series 2&4WD	MCN	MCN	MCN	MCN	MCN	MCN	MCN				
Envoy, Envoy XL, Envoy XUV								MCN	MCN	MCN	MCN
G Series Van	AWN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN
Jimmy K5, Yukon K5 2&4WD	MCN	MCN	MCN	MCN	MCN	MCN ^⑩	TN ^⑩	TN	TN	TN	TN
S & T Series Sonoma 2WD & 4WD Pickup	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN
Safari & Savana Mini Van 2WD & AWD	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN
Yukon Denali 2WD & 4WD						MCN ^⑪	TN ^⑪	TN	TN	TN	TN
HONDA											
CRV - 2WD & 4WD				FN	FN	FN	FN	FN	FN	FN	FN
Element										FN	FN
Odyssey Mini Wagon						FN	FN	FN	FN	FN	FN
Passport - 2WD & 4WD	IAW	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN
Pilot								FN	FN	FN	FN
HUMMER											
H2									MCN	MCN	MCN

Indicates vehicle was either not manufactured or not factory equipped with alloy wheel option that model year.

Use rim gauge RGP-1 to verify correct application. If unable to verify correct application, use QuikStik[®] adhesive style weights.

- ⑦ Decorative chrome wheels require "TN" series.
- ⑧ Multiple wheel options are available. Some wheel options require "MCN" series while others require "TN" series. Verify application with rim gauge RGP-1.
- ⑩ Harley Davidson Edition uses "LH" series.
- ⑪ Multiple wheel options are available. Some wheel options require "MCN" series while others require "EN" series. Use rim gauge to determine if wheel is "MCN". If not an "MCN" flange, use "EN" series. "NT" or "NTEP" series can be used in place of "EN" series.

Vehicle Model	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
HYUNDAI											
Santa Fe							IAW	IAW	IAW	IAW	IAW
INFINITI											
QX4			FN	FN	FN	FN	FN	FN	FN		
QX56										FN	FN
ISUZU											
Axiom								MCN	MCN	MCN	MCN
Ascender										MCN	MCN
Pickup - 2WD & 4WD	IAW	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN
Rodeo - 2WD & 4WD	IAW	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN
Trooper, Trooper II (Utility)	IAW	IAW	IAW	IAW	MCN	MCN	MCN	MCN	MCN	MCN	MCN
JEEP											
Cherokee Sport Wagon 2WD & 4WD	AWN	AWN	MCN	MCN	MCN	MCN	MCN	MCN	MCN		
Grand Cherokee - 2WD & 4WD	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN
Liberty								MCN	MCN	MCN	MCN
Wrangler	AWN	AWN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN
KIA											
All	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW
LAND ROVER											
All	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW
LEXUS											
All		FN	FN	FN	FN	FN	FN	FN	FN	FN	FN
LINCOLN											
Aviator									MCN/ EN	MCN/ EN	MCN/ EN
Blackwood								TN			
Navigator				TN	TN	TN	TN	TN	MCN	MCN	MCN
MAZDA											
B-2300, B-2500, B-3000, B-4000 - 2WD & 4WD Pickup	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN
MPV - 2WD & 4WD (lace & spoke design)	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN
Navajo - 2WD & 4WD	MCN										
Tribute							FN	FN	FN	FN	FN
MERCEDES BENZ											
ML55, ML320, ML500, G500				EN	EN	EN	EN	EN	EN	EN	EN
MERCURY											
Mountaineer			MCN	MCN	MCN	MCN	MCN/ EN	MCN/ EN	MCN/ EN	MCN/ EN	MCN/ EN
Monterey										MCN	MCN
Villager Mini Van	FN	FN	FN	FN	FN	FN	FN	FN	FN		

- Indicates vehicle was either not manufactured or not factory equipped with alloy wheel option that model year. Use rim gauge RGP-1 to verify correct application. If unable to verify correct application, use QuikStik® adhesive style weights.
- ① Some wheels require QuikStik® weights. Adhesive weights are recommended where there is no flange or the flange is less than 3/16" deep.
 - ② "MBN" 2-piece series can also be used.
 - ③ Some models require "AWN" series. Use rim gauge RGP-1 to verify correct application.
 - ④ Decorative chrome wheels use "TN" series weights.
 - ⑤ Multiple wheel options are available. Some wheel options require "MCN" series while others require "EN" series. Use rim gauge to determine if wheel is "MCN". If not an "MCN" flange, use "EN" series. "NT" or "NTEP" series can be used in place of "EN" series.
 - ⑥ 2003 Navigator equipped with flangless wheel. Use QuikStik inside the wheel and "MCN" series on the inboard flange. "FSGET" series can also be used on inside rib in place of QuikStik®.

Vehicle Model	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
MITSUBISHI											
Endeavor										IAW	IAW
Lancer Sportback										IAW	IAW
Montero (Utility)	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW
Outlander										IAW	IAW
Pickup - 2WD & 4WD	IAW										
NISSAN											
Armada - 2WD & 4WD										FN①	FN①
Pathfinder - 2WD & 4WD	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN①	FN①
Pickup - 2WD & 4WD	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN
Quest Mini Van	FN	FN	FN	FN	FN	FN	FN	FN	FN①	FN①	FN①
Xterra						FN	FN	FN	FN	FN	FN
OLDSMOBILE											
Bravada		MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN
Silhouette	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN
PLYMOUTH											
Voyager Mini Van FWD & AWD	MCN	MCN	MCN	LH	LH	LH	LH				
PONTIAC											
Aztek							MCN	MCN	MCN	MCN	MCN
Montana SV6											MCN
Montana & Trans Sport APV	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN
SATURN											
All								MCN①	MCN①	MCN①	MCN①
SUZUKI											
Samurai - 2WD & 4WD	IAW										
Sidekick - 2WD & 4WD	IAW	IAW	IAW	IAW							
Vitara & Grand Vitara					IAW	IAW	IAW	IAW	IAW	IAW	IAW
X-90			IAW	IAW							
XL-7								IAW	IAW	IAW	IAW
TOYOTA											
4 Runner (Utility) 2WD & 4WD	FN	FN	FN	FN	FN	FN②	FN②	FN②	FN②	FN②	FN②
All Pickups - 2WD & 4WD	FN	FN	FN	FN	FN	FN	FN	FN	FN①	FN①	FN①
Highlander							FN	FN	FN	FN	FN
Landcruiser	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN
Previa & Sienna 2WD & AWD	FN	FN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN	MCN
RAV 4		FN	FN	FN	FN	FN	FN	FN	FN	FN	FN
Sequoia							FN	FN	FN	FN	FN
VOLKSWAGEN											
Eurovan			EN④	EN④	EN④	EN④	EN④	EN④	EN④	EN④	EN④

Indicates vehicle was either not manufactured or not factory equipped with alloy wheel option that model year.

Use rim gauge RGP-1 to verify correct application. If unable to verify correct application, use QuikStik® adhesive style weights.

- ① Some wheels require QuikStik® weights. Adhesive weights are recommended where there is no flange or the flange is less than 3/16" deep.
- ② "AVW" 2-piece series can also be used.
- ③ Some vehicles are equipped with US-produced wheels. These wheels have different inboard/outboard configurations. Consult Bulletin APP200001 for more details or verify series with RGP-1.

® QuikStik is a registered trademark of Perfect Equipment Company LLC

© Copyright 2004, Perfect Equipment Company LLC

www.perfectequipment.com

FORM NO. 18082



PERFECT EQUIPMENT WHEEL WEIGHTS

Ounces *Convert To* Grams

0.25	10
0.50	15
0.75	20
0.90	25
1.00	30
1.25	35
1.40	40
1.50	45
1.75	50
2.00	55
2.10	60



APPLICATION HOTLINE
(800) 251-1566

8AM - 5PM CST

©COPYRIGHT 2001, PERFECT EQUIPMENT COMPANY LLC

